**REFERENCES/BIBLIOGRAPHY**


1] Andrew Weism (2008) in her article titled Antenatal care routine care for the healthypregnant women,2nd edition,ISBN-978-904,Pp:46-52.

2] Augustine K. Tugli et al(2017),Investigation the acceptability factors that influence

Antenatal service utilization,Volume19,Issue-1,doi.org/104104phc.fm.Vgi/:1337.

3] Basavanthappa, B T., (2007). *Nursing Research,* 2nd ed., Jay Pee Brothers, New Delhi.

4] Cohreh Shahhosseni etal(2016),Factors affecting improved prenatal screening,Volume-8,Issue-5,doi 10.5539,Pp:160-165.

5] Dr Tara Clay etal(2017),Nuffield Council on Bioethics 28 beed ford square London,ISBN-978-1-904384-32-8.

6] Dionysia Nousi.and Apostolos Christou(2010)., Factors affecting the quality of life in children with congenital heart disease, *Health Science Journal*,Volume- 4,Issue-2; P.p. 94-100. E-ISSN:1791-809X, Retrieved from: www.hsj.g .

7]D.C.Dutta Txtbook of obstetrics ang gynaecology,8th edition.

8] Erica O Nell and John Thorp (2012), in their evaluation of the fetus and well being, Volume 55 Issue3 PMCID-PMC3684248,Pp:722-730.

9] Ester Silveria Ramous (2006),Cell free fetal DNA in maternal plasma and noninvasive prenatal diagnosis Volume 14,Issue-6,ISSN 1518-8345,doi.org/10.1590/50104-1169200.

10] Errol R.N0vwitz and Bynn Levy(2013),Non Invasive Prenatal Testing,Volume-6,Issue 2,Pp:48-62.

11] E. Mersy(2013),Noninvasive detection of fetal trisomy 21: systematic review and report of quality and outcomes of diagnostic accuracy studies performed between 1997 and 2012Volume 19, Issue 4, https://doi.org/10.1093/humupd/dmt001 Pages 318–329.

12] Fiorentino Fetal(2008) Rapid protocol for pre-conception genetic diagnosis of single gene mutations by first polar body analysis: a possible solution for the Italian patients. Prenat Diagn,28:62–4. [PubMed]

13] Gulmezoglu Metina (2016),World Health Organization recommendations on antenatal care for a positive pregnancy experience,ISBN-978-892,Pp:415-499.

14]Heather Shirton and LeighJackson(2015),factors affecting the clinical use of noninvasive prenatal screening,Volume-3,Issue-1,doi-10.4172,ISSN-23763,Pp:114-120.

15] J Genet Coens(2017),Womens experience with noninvasive prenatal testing after emotional wellbeing and satisfaction test results,Volume-36,Issue-6,doi 10.1007/s/10897-017,Pp:1348-1356.

16] Kate Reed (2007),Antenatal Screening and the gendering of responsibility,Volume-4,Issue-8,ISSN 1742-4755,doi 10.1186/1742,Pp:475-489.

17] K.Hymavati etal(2013),A primary investigation to assess the knowledge of warning signs in pregnancy among antenatal women, Journal of pharmaceutical research and development,Volume-2,issue-8,ISSN-2278-3962,Pp:249-253.

18] Kalayou K Berhe (2013), Assessment of Antenatal Care Utilization and its Associated Factors Among 15 to 49Years of Age Women in Ayder Kebelle,
Mekelle City 2012/2013; A Cross SectionalStudy,Volume-2,issue-1,ISSN 2321-547X,Pp: 62-075.

19] Leeza Osipenko and AlaScczepura(2008),Noninvasive prenatal screening.

20] Leonard oogbonna etal(2017),Attitude of healthcare provider,Journal of clinical and diagnostic research,Volume-11,Issue-2,ISSN-0973-709X,Pp:Qc4-Qc7.

21] Rajiv Kumar Gupta(2015) Knowledge regarding antenatal care services, its utilization, and delivery practices in mothers (aged 15-49 years) in a rural area of North India ear : 2015,Volume : 18 , Issue : 2 ,DOI: 10.4103/1119-0388.158401 Pp : 89-94.

22] L.J.K.Meertens etal(2018),External validation and clinical usefulness of first trimester,doi 0.1111/1471-0528.15516.

23]Lynchitty etal(2015),Rapid noninvasive prenatal testing evaluation study a report for the UK,National screeningCommitte,ISBN-978-1-907198-175

24] Martinez Payol C (2018),Clinical result after the implementation of cell free fetal DNA detection in maternal plasma,Journal of Obstetrics and Gyanaecology,ISSN-1447-0756,doi 10.111,Pp:1369-1376.

25] Megan Altyse etal (2015),Noninvasive prenatal testing,Volume-7,doi 10.2147/10/WH :567124,Pp:113-126.

26] Maria Cristina and Luissela Seba (2009),Prenatal diagnosis of beta thalassemia Haemoglobinopathes,Volume-1,Issue-1,doi 10.4084/MJHID.2009.011.

27] Manisha Behal etal(2018),Assessment of mothers knowledge towardspregnancy and childbirth postpartum and essential newborn care,Volume-15,Issue-5,doi10.18203/2394-6040,ISSN 2394-6032,Pp:17-36.

28] Mala Srivasatava and Ankita Srivastava(2018), Non Invasive Prenatal Testing- Indian Scenario,Journal of scientific research and technique,volume-3,issue2*DOI: 10.26717/BJSTR.2018.02.000807* , ISSN: 2574-1241,Pp:1-16.

29] **]** Mr Sam Santhosh, CEO ,Med Genome (2015),in his article titled regarding Medgenome launches Panoroma (Noninvasive Test) in India.

30] Nawal M nour(2013),An introduction to maternal mortality, Obstetrics and Gynaecology Journal,Volume-1,Issue-2,PNCID.PMC2505173,Pp:77-81

31]Nikita K vijay(2017),Level of awareness regarding danger signs during pregnanacy,Obstetrics & Gynecology,Volume-6,issue82 Online ISSN:1471-0528

32] Osamu Samura etal (2017), Current status of non-invasive prenatal testing in Japan, Journal of obstetrics and gynaecology,Volume43, Issue8, https://doi.org/10.1111/jog.13373, Pages 1245-1255

33] Polit, D.F.and Hungler, B.P., (2008). *Essentials of Nursing Research*, 6th ed., Lippincott-Raven Publishers, Philadelphia.

34] P Meena (2016),A study to evaluate the effectiveness of structured teaching programme on knowledge regarding importance of diagnostic measure among primi mother, International journal of Advance nursing management,volume-4,issue-4,ISSN 2454-2652.

35] Parasben Savaliya,(2016), The Congenital Anomalies, Its Prevention and Knowledge, J Nur Today, Vol. 1 Issue 1 www.jolnt.com,e ISSN 2456-1630,Pp:34-41.

36] Pasupuleti Sreenivasa Rao, et. al.(2013)Knowledge regarding warning signs during pregnancy, Journal of Pharmaceutical Research and Development , Vol. 2 Issue.8,ISSN: 2278 – 3962,Pp: 249 – 253.

37] Rajiv Kumar Gupta etal(2017),Knowledge regarding Antenatal care services itsutilization delivery practices in mothers,Volume-18,Issue-2,doi 10.4103/1119-0388.158401,Pp:89-94.

38] R.B. Colah, A.C. Gorakshakar, and A.H. Nadkarni(2011) Invasive & non-invasive approaches for prenatal diagnosis of haemoglobinopathies: Experiences from India,Volume-134,issue-4,PMC3237256.

39] Rachèl V. van Schende etal ( 2017) ,Women's Experience with Non-Invasive Prenatal Testing and Emotional Well-being and Satisfaction after Test-Results,Journal of genetic counseling,Volume-26,Issue-6,Pp: 1348–1356 doi: 10.1007/s10897-017-0118-3.

40] Sanjay Kumar Singh(2017),Level of awareness of danger signs during pregnancy, Journal of obstetrics and Gynaecology,ISSN1475-0528

41] Sara Perlado-Marina etal(2013),Overview of Five-Years of Experience Performing Non-Invasive Fetal Sex Assessment in Maternal Blood, volume -3issue-2, doi:10.3390/diagnostics3020283, Pp:283-290.

42] Sahar khashab etal, Maternal morbidity and mortality in ElShatby and Dar Ismail maternity hospitals in Alexandria: A comparative studyAlexandria Journal of MedicineVolume 54, Issue 1, https://doi.org/10.1016/j.ajme.2016.12.003,Pages 63-67

43] Shubha R Phadke, Prenatal screening for genetic disorders: Suggested guidelines for the Indian Scenario, IndianJournal of medical researchVolume : 146 , Issue : 6 , DOI: 10.4103/ijmr.IJMR_1788_15 Pp : 689-699.

44]Seethu udyan etal(2014),,Awareness regarding antenatal investigation among antenatal mother,Journal of south asian federation of obstetricsandgyanaecology,volume-6,Issue-3,doi:10.5009,Pp:129-132.

45] WHO recommendations on antenatal care for a positive pregnancy experience.

I.World Health Organization.ISBN 978 92 4 154991 2,Pp:1-145.

46] Zohreh Shahhosseini(2016), Factors Affecting Improved Prenatal Screening: A Narrative Review,Glob J Health Sci,Volume- 8,Issue5, doi:10.5539/gjhs.v8n5p160, Pp:160–165.